



APPROXIMATE DIMENSIONS [mm]			
A	1303	E	1500
A1	1264	H	1238
A2	-	H1	1464
B	2384	H2	1521
B1	400	H3	2473
B2	790	Hm	500
B3	1400	C1	19197
S	35	D1	9.599
C1	19197	D2	9.599
-	-	-	-
-	-	-	-
-	-	-	-



PRELIMINARY PV TABLES SPACING

NOMINAL VALUE - IT MAY CHANGE DUE TO MOUNTING TOLERANCES

250

1400

MATERIAL CHARACTERISTICS

STEEL

Structural steel - at least S235JR - yield strength and thickness in accordance with structural calculations.

SPHERICAL BEARINGS

Bronze / Stainless steel.

SPACERS

Stainless Steel.

SCREWS, NUTS and WASHERS

All steel parts will be galvanized according to environmental conditions of the site to have a design lifetime of 25 years

GALVANIZATION

Basic Option:
All steel parts will be galvanized according to environmental conditions of the site to have a design lifetime of 25 years

12/2023

00

Prima emissione

DATA

REV

DESCRIZIONE EMISSIONE

Francavilla G.

Berardinelli G.

Frattanni L.

Francavilla G.

DATA

REV

DESCRIZIONE EMISSIONE

PREPARATO

VERIFICATO

APPROVATO

Logo Appaltatore e Dimensione Commerciale

Logo Committente

ID Documento Appaltatore

FV_IR_05.PianeVomano_PD.ELA.52

TITOLO:

DETAGLIO TRACKER_1

FOGLIO

SEGUE

DI

FORMATO

01

SI

02

A0

DIS. N.

-

NOME FILE:

PIANE VOMANO - MORRO D'ORO (TE)

DETTAGLIO TRACKER_1

scala:

-

ARCHITETTO

FRANCILLA

FRANCILLA

N. 947

INGEGNERE

FRANCILLA

FRANCILLA

N. 947

INGEGNERE

FRANCILLA

FRANCILLA

N. 947